



---

**SECTION 26**  
**CONTROLS**

**IN THIS CATALOG SECTION**

<b>PAGE NUMBER</b>	<b>CONTENTS</b>
26-02	Whole House Controllers™ - Ventra XT
26-03	Whole House Controllers™ - Ventra PRO & Ventra Plus
26-04	Accessories - Whole House Controllers
26-05	Fortica - Whole House Controllers
26-06	Fortica - Expansion Units and Sensors
26-07	Fortica - Bird Weighing, Alarms, & Accessories
26-08	Whole House Controllers™ - HORIZON®
26-09	Ventilation Controllers
26-10	Accessories - Ventilation Controllers
26-11	Specialty Controllers
26-12	Back-up Units, Surge Protection, Thermostats
26-13 thru 26-14	Alarm Systems - Agri-Alert & Accessories

## WHOLE HOUSE CONTROLLERS



VLink Remote Access Node

### VENTRA XT

*Large screen, Multiple zone, multiple program controls with pluggable relays and analog outputs*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921825	16/12/0 Channel Control - 16 Digital and 12 Analog (0-10v or 10-0v) Output Channels - No Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921826	14/12/2 Channel Control - 14 Digital and 12 Analog (0-10v or 10-0v) Output Channels - 2 Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921827	12/12/4 Channel Control - 12 Digital and 12 Analog (0-10v or 10-0v) Output Channels - 4 Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921830	24/12/0 Channel Control - 24 Digital and 12 Analog (0-10v or 10-0v) Output Channels - No Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921831	22/12/2 Channel Control - 22 Digital and 12 Analog (0-10v or 10-0v) Output Channels - 2 Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921832	20/12/4 Channel Control - 20 Digital and 12 Analog (0-10v or 10-0v) Output Channels - 4 Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921835	32/12/0 Channel Control - 32 Digital and 12 Analog (0-10v or 10-0v) Output Channels - No Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	
921836	28/12/4 Channel Control - 28 Digital and 12 Analog (0-10v or 10-0v) Output Channels - 4 Triac small fan VS Output Channels - 28 Analog Inputs and 6 Digital Inputs	32.0	14.5	

### VENTRA NETWORKING & WWW ACCESS

*Need (1) of Node per farm site. Need (1) Software per laptop computer*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921645	Vlink Stand Alone Thumbdrive with Software - (1) license	0.5	0.2	
921743	Vlink Hardware Assembly Node	4.8	2.2	

## WHOLE HOUSE CONTROLLERS



**Ventra PRO**

### VENTRA PRO

*Multiple zone, multiple program controls with pluggable relays*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
VPR-016-001	16 Channel Control - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	27.0	12.2	
VPR-016-201	16 Channel Control - 14 on/off, 2 variable speed - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	20.0	9.1	
VPR-016-401	16 Channel Control - 12 on/off, 4 variable speed - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	26.7	12.1	
VPR-024-001	24 Channel Control - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	23.0	10.4	
VPR-024-201	24 Channel Control - 22 on/off, 2 variable speed - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	28.8	13.1	
VPR-024-401	24 Channel Control - 20 on/off, 4 variable speed - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	20.0	9.1	
VPR-032-001	32 Channel Control - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	29.1	13.2	
VPR-032-401	32 Channel Control - 28 on/off, 4 variable speed - Expandable to 92 Channels - 14 Analog Inputs and 6 Digital Inputs	30.5	13.8	

### VENTRA PLUS

*Multiple zone controls with fixed relays*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
RD-001-301	VENTRA1200ZP 12 Device Output Channels incl. 2 Variable Speed, Multi Zone, "Hot Keys" Expandable (Model 1200ZPVS)	13.1	5.9	

## ACCESSORIES

### WHOLE HOUSE CONTROLLERS

#### SENSORS

*Ventra and GainTRAC*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
SR-017-100	Temp Sensor	0.08	0.0	
SR-09	Temp/Airspeed Sensor	0.15	0.1	
921799	Relative Humidity Sensor - Water Resistant	1.00	0.5	
PA-56	Relative Humidity Sensor - Dust Tight	1.00	0.5	
921950	Carbon Monoxide Sensor 0-500 ppm	1.00	0.5	
921951	Carbon Dioxide Sensor 0-10,000 ppm	1.90	0.9	
921952	Ammonia Sensor Drager DOL-53 0-100 ppm	1.00	0.5	
922027	Replacement Element for Ammonia Sensor 921952	4.00	1.8	
820371	Water Meter Kit, Gallons, Brass Body, 1 PPG Digital output 5/8" X 3/4" Connections 0.5gpm min 25gpm max flow	8.00	3.6	
820373	Water Meter Kit, Metric, Brass Body, 0.01 m3/pulse Digital output 5/8" X 3/4" Connections 0.11 m3h min 5.70 m3h max flow	8.00	3.6	
PA-69	Water Meter Sensor for legacy Badger Water Meters (water meter not included)	1.00	0.5	
PA-72	Feed Sensor	1.00	0.5	
VE-006-101	Static Pressure Sensor Kit - Enclosure Not Included	2.00	0.9	
VE-006-001	Static Pressure Sensor Kit - Mounted in Enclosure	2.70	1.2	
ZC1150RL	Sensor Wire - 1,000 Foot Roll	23.0	10.4	
ZC1150R	Sensor Wire - Per Foot APPLIES TO ANY NON-1000' ROLL QUANTITY	0.02	0.0	
WS-27	Scotchlok - Wire Connector	0.00	0.0	
PA250	Wall Mount Manometer (-.05" - 3" W/C)	0.00	0.0	
VM300	Dwyer Mark II Manometer (0-8mm W/C) - Wall Mounted	1.13	0.5	

#### EXPANSION STATIONS

*Ventra and GainTRAC*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
RD-002-101	12 Channel Variable Speed Expansion Station (Model 12VS) 10 Analog, 4 Digital Inputs; 10 On/Off, 2 Variable Outputs	11.1	5.0	
RD-008-001	2 Variable Speed Channel Expansion Station (Model 2VS)	7.59	3.4	

#### VENTRA PRO ACCESSORIES

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921458	Analog Output Board Kit - adds (12) 0-10v analog outputs to Ventra PRO controllers - includes power cable	0.09	0.0	

#### VENTRA NETWORKING & WWW ACCESS

*Ventra*

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921645	Vlink Stand Alone Thumbdrive with Software	0.50	0.2	
921743	Vlink Hardware Assembly Node	4.80	2.2	

## WHOLE HOUSE CONTROLLERS

Fortica Control



SYSL-REMOTE software



NOVUS Farm Management Software

### FORTICA

Flexible whole-house controllers - add (1) EKU-1 per curtain machine/actuator/winch channel required

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922010	FORTICA Control for BROILERS 33 Output channels - 16 Digital, 16 Analog (0-10v), and 1 alarm (NO) 20 Inputs - 12 Analog and 8 Digital	FORTICA-PB	16.2	7.3	
922011	FORTICA Control for BREEDERS 33 Output channels - 16 Digital, 16 Analog (0-10v), and 1 alarm (NO) 20 Inputs - 12 Analog and 8 Digital	FORTICA-PP	16.2	7.3	
922012	FORTICA Control for AVIARY & FREE-RANGE LAYERS 33 Output channels - 16 Digital, 16 Analog (0-10v), and 1 alarm (NO) 20 Inputs - 12 Analog and 8 Digital	FORTICA-PS	16.2	7.3	
922013	Software for Forticas to unlock ENERGY mode including support for (3) Heat Exchangers	FORTICA-PB-XL; -PP-XL; -PS-XL	0.0	0.0	

### FORTICA Remote Access

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922030	Router with PSU for connecting FORTICA to web (1) per farm site Requires Ethernet connectivity and (1) SYSL-REMOTE per FORTICA control connected Order cable/connectors and optional surge protection kits as needed	SYSLINQ	5.2	2.4	
922031	Software package to allow remote access (VNC and VPN) to Fortica from laptop, tablet, and mobile phones	SYSL-REMOTE	0.0	0.0	
922032	Remote Alarm Notification through iPhone/Android app - Requires SYSLINQ/FORTLINK-S and SYSL-REMOTE	SYSL-NOTI-MOD	0.0	0.0	
922033	Fortlink On-farm management display for multi-barn sites. Includes SYSLINQ router for remote connectivity via ethernet. Requires (1) SYSL-REMOTE NOTE - when using FORTLINK-S each Fortica does NOT require its own SYSL-REMOTE software package	FORTLINK-S	10.0	4.5	
922034	Novus Farm Management Software for remote connected farm sites with multiple barns. Pulls in data for graphical comparisons and reporting on a laptop. Includes (1) license	NOVUS-FARM	0.0	0.0	



FORTLINK-S management display



SYSLINQ Router

FORTICA Software Upgrade for ENERGY mode with (3) Heat Exchangers



## WHOLE HOUSE CONTROLLERS



### FORTICA Expansion Units

*Flexible whole-house controllers*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922014	FWS Slave unit for feed weighing and multiple house feed requests from shared bins - max 9 output augers 16 Digital Outputs, 16 analog outputs	FORTICA-FWS	16.2	7.3	
922015	Input/Output expansion module with 33 Output channels - 16 Digital, 16 Analog (0-10v), and 1 alarm (NO) 20 Inputs - 12 Analog and 8 Digital	CAN-IO-20-33	9.0	4.1	
922016	Input/Output expansion module with 14 Output channels - 12 Digital, 1 Analog (0-10v), and 1 alarm (NO) 6 Inputs - 2 Analog and 4 Digital	CAN-IO-6-14	9.0	4.1	
922017	Output module for Silo Weighing(1 bin) or Bird Scales (2 bird scales) - requires BinTRAC HL-10P p/n 502137 Houselink box for silo weighing	CAN-IO-LCA	4.0	1.8	
502137	Houselink Proportional converter for BinTRAC Display to Fortica	HL-10P	0.3	0.1	
	EasyButton with green pushbutton 1xNO incl LED - use one per bin for filling events	EASYBUTTON-GP			
922018	Output module for control of (1) inlet/curtain/winch with time-based control with or without potentiometer 230VAC Converts Fortica 0-10v signal into runtime opening/closing	EKU-1	4.0	1.8	
922019	Lighting Amplifier 0-10v with manual override	HLV-10	4.0	1.8	

### FORTICA Sensors

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922020	Temperature Sensor	PT1000	1.0	0.5	
922021	Temperature Sensor with 19' (6m) of wire - usually buried in a 10' pvc pipe in the floor for floor temp sensing	PT1000-6	1.0	0.5	
922022	Outdoor Temperature Sensor (1 per farm with connected Fortica Controls)	PT1000-BU	1.0	0.5	
922023	Relative Humidity Sensor	RV-A-0-5	1.0	0.5	
922024	Static Pressure Sensor for Positive- and Negative-Pressure ventilation	OPN-DR-ST-I	1.0	0.5	
922025	Static Pressure Tubing and Enclosure Kit (1 per SP Sensor required)	OPN-DR-ST-SET	1.0	0.5	
922026	Carbon Dioxide Sensor 0-5000ppm	OPN-CO2-E2	1.0	0.5	
921952	Ammonia Sensor Drager DOL-53 0-100 ppm	OPN-DOL53-NH3	1.0	0.5	
922027	Replacement Element for Ammonia Sensor 921952	DOL53-NH3-RES	4.0	1.8	
922028	Light Sensor 0-50 lux	OPN-LS-50LUX	3.0	1.4	
820371	Water Meter Kit, Gallons, Brass Body, 1 PPG Digital output 5/8" X 3/4" Connections 0.5gpm min 25gpm max flow		8.0	3.6	
820373	Water Meter Kit, Metric, Brass Body, 0.01 m3/pulse Digital output 5/8" X 3/4" Connections 0.11 m3h min 5.70 m3h max flow		8.0	3.6	
922029	Outside Weather Station for Wind Speed and Direction (1 per farm with connected Fortica Controls)	OPN-WRS-K	5.0	2.3	

## WHOLE HOUSE CONTROLLERS



DWS-3-ZW



DWS-4-ZW




DWS-5-ZW



DWS-6-ZW



ACA-10N



ETHER-OVP



CONN-RJ45

### FORTICA Bird Weighing

*Platforms with load cells included*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922035	Bird Scale for Turkeys 1m x 1m platform 100kg	DWS-3-ZW	10.0	4.5	
922036	Bird Scale for Broilers/Pullets .4m x .4m platform 35kg	DWS-4-ZW	10.0	4.5	
922037	Bird Weighing Perch for Cage Layers 15kg	DWS-5-ZW	10.0	4.5	
922038	Bird Weighing Perch for Cage Broilers 15kg	DWS-6-ZW	10.0	4.5	
922039	Connector Box for DWS weighers	KK-7P	10.0	4.5	
922040	7-pin male plug for DWS	CON-7P-M	10.0	4.5	


### FORTICA Alarms and Surge Protection

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922041	Master Alarm 10 groups	ACA-10N	10.0	4.5	
922042	Siren 110db, 12VDC	SIRENE-AS-612	10.0	4.5	
922043	Flashing Alarm Light 10-100VDC, 20-72 VAC, 2W, Orange	AU-003	10.0	4.5	
922044	Three-phase voltage monitor	PM-31	10.0	4.5	
922045	Single Thermostat	T-51	10.0	4.5	
922046	Min/Max Double Thermostat	T-52	10.0	4.5	
ZC15165	Low Water Pressure Switch (Alarms 15/60 psi Min/max)		1.1	0.5	
922047	Overvoltage Protection for Fortica and Ethernet - recommend (1) per Fortica, Sysling, FWS, Fortlink	ETHER-OVP	10.0	4.5	
922048	Overvoltage Protection for Fortica and Ethernet - includes 2x UTP patch cables 30cm	ETHER-OVP-SET	10.0	4.5	

### FORTICA Connection Accessories

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
922049	One meter Ethernet cable 2x2x0.64mm for CAN-BACKBONE comms between Forticas, Routers, Weather Stations, and FWS Feeders	ETHER-BK	10.0	4.5	
922050	One meter CAN-Bus cable 1x2x0.64mm for CAN-LOCAL comms between Forticas and slaves/expansion stations	CAN-BK	10.0	4.5	
922051	4-pin male RJ45 connector - handcrimps onto ETHER-BK and CAN-BK cables - need (2) per cable run	CONN-RJ45	10.0	4.5	
ZC183F	One foot (1') 3-Conductor shielded 18 AWG wire for connecting temp and other sensors to Fortica		0.0	0.0	

## WHOLE HOUSE CONTROLLERS



### HORIZON® Boards

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
920957	Relay (RIOM) assembly w/ (6) normally open output relays	0.5	0.2	
920962	Input (GPIOM) assembly w/ (12) digital/analog inputs and (2) analog outputs	0.3	0.1	

### HORIZON Sensors

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921092	Temperature Sensor 10k thermistor	0.1	0.0	
921093	Relative Humidity Sensor	1.0	0.5	
921094	Static Pressure Sensor	0.3	0.1	
921096	Static Pressure Sensor Kit w/ tubing, filters, enclosure	2.7	1.2	
921095	Wind Speed Anemometer Sensor - 125 fpm minimum	1.0	0.5	
PA-69	Water Meter Sensor	1.0	0.5	
PA-72	Feed Motor Current Sensor	1.0	0.5	
921096	Static Pressure Sensor Kit w/ tubing, filters, enclosure	2.7	1.2	
921095	Wind Speed Anemometer Sensor - 125 fpm minimum	1.0	0.5	
PA-69	Water Meter Sensor	1.0	0.5	
PA-72	Feed Motor Current Sensor	1.0	0.5	



## VENTILATION CONTROLLERS

### OVATION SERIES

*All Ovation Series controls include (1) ZC1351 temp sensor*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C800	4 Stage: 2 Variable, 2 On/Off, With Alarm	Ovation 22	6.8	3.1	
C801	6 Stage: 2 Variable, 4 On/Off, With Alarm	Ovation 24	6.9	3.1	
C803	7 Stage: 2 Variable, 1 Curtain, 2 On/Off, 1 Heat, 1 Mister	Ovation 214	7.0	3.2	

### "C SERIES" TEMPERATURE CONTROLS

*All C Series controls include (1) ZC1351 temp sensor*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C313	4 Stage: 4 On/Off	CS-4H	4.2	1.9	

### "C SERIES" CURTAIN VENTILATION CONTROLS

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C311	2 Stage: 1 Winch, 1 On/Off, With Alarm	CWS-T-11HA	4.3	2.0	
C334	5 Stage: 1 Variable, 1 Winch, 3 On/Off	CVWS-T-113H	0.0	0.0	
C324	7 Stage: 1 Winch, 6 On/Off, With Alarm	CWS-T-16HA	0.0	0.0	

### "C SERIES" AIR INLET CONTROLS

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C339	Static Pressure Controller With Alarm	WR-P-1A-2	5.0	2.3	

### PEC+ VENTILATION CONTROL

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C423	PEC+ 8 Stage 2VS 6 Relay, Curtains, Alarm		4.0	1.8	

---

## ACCESSORIES VENTILATION CONTROLLERS

### SENSORS

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
ZC1351	1' Temp Sensor - C & D Series, Ovation	832-00000	1.1	0.5	
ZC1353	30' Temp Sensor - C & D Series, Ovation	832-00002	1.0	0.5	
ZC1348	6' Temp Sensor for VTC, TSC, FHC, AEC, SEC, TVS, PEC	MT-P3A	0.0	0.0	
SR10	1' Temp Sensor - RVS Controls	RVS 10	0.0	0.0	
ZC1150RL	Sensor Wire - 1,000 Foot Roll	COMM WIRE	23.0	10.4	
ZC1150R	Sensor Wire - Per Foot APPLIES TO ANY NON-1000' ROLL QUANTITY	COMM WIRE	0.0	0.0	
WS-27	Scotchlok Two-Wire Connector	3-M	0.0	0.0	



## SPECIALTY CONTROLLERS

### POLAIR HIGH PRESSURE FOGGING UNITS

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
VE-010-000	POLAIR 400HC - No Contactor - 2 Stages Cooling	8.5	3.9	
VE-010-001	POLAIR 400HC - 23 Amp - 2 Stages Cooling	9.0	4.1	
VE-010-101	POLAIR 400HC - 43 Amp - 2 Stages Cooling	9.0	4.1	
VE-010-201	POLAIR 400HC - 60 Amp - 2 Stages Cooling	9.0	4.1	

### VARIABLE SPEED CONTROLS

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
C407	MSC-4 Manual Variable Speed (12.5A)	2.0	0.9	
C408	MTC-4C Automatic Variable Speed control	2.0	0.9	

### LIGHTING CONTROLS

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921133	Light Dimmer 4 Circuits 2000W (8000W total) each 0-10V input 110V	8.0	3.6	



## BACK-UP UNITS, THERMOSTATS, SURGE PROTECTION

### BACK-UP UNITS

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
VE-017-101	ThermoTRAC Backup Control - 6 Outputs Expandable to 8, Min Vent Timer, Alarm	17.1	7.8	
RY-008-003	Line Power Time Delay Relay Kit - Prevents Brownout Alarms for ThermoTRAC	0.0	0.0	
VE-017-200	Main Control Power Failure Monitor	0.1	0.0	

### THERMOSTATS

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
C415	Single Stage Thermostat SPDT - 16/12/10A at 120/240/277VAC	2.0	0.9	

### SURGE PROTECTION

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
921810	Phone Surge Suppressor	0.0	0.0	
VE-013-101	Deadbolt - Data Surge Suppressor	0.1	0.1	
VE-016-001	Deadbolt - Control Circuit Surge Suppressor	1.0	0.5	

### Grounding Kit

CATALOG #	ITEM DESCRIPTION	LBS.	KG.	LIST PRICE
922170	Grounding Kit - 4' Grounding Rod Electrodes (4) Ground Round Couplers (2) Ground Rod Clamps (3) Driving Sleeve (1) 25' #6 AWG Bare Copper Wire (2)	15.0	6.8	

## ALARM SYSTEMS

### AGRI-ALERT 400 ALARM & MONITOR

*Dry contact only requires C415 for temp alarming - not ZC1351 or ZC1353*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C379	Agri-Alert 400, 4 Zones Dry Contact only, non-expandable, no auto-dialer. -Power Pack not included	400	3.0	1.36	
C3003	Power Pack Transformer: 120/16.5V, 40VA, 12V Sealed Battery, Battery Box, for AA2400, AA400	PP-2400	10.0	4.54	

### AGRI-ALERT 800EZ ALARM & MONITOR

*Includes Battery Back-up and 24VDC Transformer*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C376	Agri-Alert 800EZ Kit* - Includes Outdoor Temp Card	800EZ	3.0	1.36	
C377	Agri-Alert 800EZ* - Outdoor Temp Card Not Included	800EZ	7.5	3.38	
C378	Outdoor Temperature Card for 800EZ		3.0	1.36	

### AGRI-ALERT 128 ALARM & MONITOR

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
921527	AGRI-ALERT 128 REV A KIT, PVX COMMS W/BATBOX & TP-8	15.22	15.2	6.90	
921418	Agri-Alert 128, Battery Box / 12V 7 AH	128	0.0	0.00	
921525	WIRELESS RS-485 FOR AGRI ALERT NETWORK		0.0	0.00	
921524	POWER SUPPLY 24V, 20W		0.0	0.00	
921414	Transponder - Adds 8 Zones Remote from AA128/AA9600	TP-800	2.8	1.28	
921528	AGRI-ALERT TP-8 TRANSPONDER EXPANSION MODULE 8 ZONES	TP-8	2.7	1.23	
921415	Keypad - Adds 4 zones remote to AA128/AA9600 Rugged enclosure, keypad and display	KPB-400	3.4	1.54	

## ALARM SYSTEMS

### AGRI-ALERT 9600 ALARM & MONITOR (ALARM IS OBSOLETE)

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
C303B	Power Pack Transformer: 120 or 240/16.5V, 130VA, 12V Battery, Battery Box, for Agri-Alert 9600	PP-9600	10.0	4.5	
ZC1506A	8 Zone Expansion Card for AA9600	AA-96Ext	1.0	0.5	
921414	Transponder - Adds 8 Zones Remote from AA128/AA9600	TP-800	2.8	1.3	
921415	Keypad - Adds 4 zones remote to AA128/AA9600 Rugged enclosure, keypad and display	KPB-400	3.4	1.5	
ZC15163	Keypad - Adds 4 zones remote from 9600 Non-rugged enclosure, keypad and display	KP-400	1.8	0.8	

### AGRI-ALERT ALARM ACCESSORIES

*Dry contact only requires C415 for temp alarming - not ZC1351 or ZC1353*

CATALOG #	ITEM DESCRIPTION	MODEL #	LBS.	KG.	LIST PRICE
ZC1351	Temp Sensor with 1' wire	832-00000	1.1	0.5	
ZC1353	Temp Sensor with 30' wire	832-00002	1.0	0.5	
C415	Single Stage Thermostat SPDT - Use for AA400 - 16/12/10A at 120/240/277VAC		2.0	0.9	
ZC15165	Low Water Pressure Switch (Alarms 15/60 Psi Min/Max)	832-00020	1.1	0.5	
ZC1515	Siren, 12VDC	115-00005	1.0	0.5	
ZC1511	Power Failure Relay Kit, 120VAC (1 Phase)	VRB-1-120	3.0	1.4	
ZC1514	Power Failure Relay Kit, 120VAC (3 Phase) Cannot be used in Europe	VRB-3-120	3.0	1.4	
ZC15156	Power Failure Relay Kit , 240VAC (1 Phase)	VRB-1-240	2.4	1.1	
ZC15157	Power Failure Relay Kit, 240VAC (3 Phase) Cannot be used in North America	VRB-3-240	1.0	0.5	
ZC1520	Passive Infra-Red Motion Detector	832-00021	0.0	0.0	
ZC1521	Door Alarm Contact	830-00010	0.0	0.0	
ZC1526	Photo Electric Detector Beam	830-00011	0.0	0.0	
ZC1509	Transformer, 16.5VAC, 40VA, for AA2400	T-2400	2.0	0.9	
ZC1508	Transformer, 120 or 240/16.5VAC, for AA9600	T-9600	2.0	0.9	
ZC1505	Rechargeable battery, 7AH, 12V, Sealed for 2400, 9600	112-00003	4.0	1.8	
ZC15171	Heat detector, 135F or 15F rise/min	832-00019	0.0	0.0	
ZC15172	Heat detector, 200F or 15F rise/min	832-00034	0.6	0.3	